C:\Documents and Settings\PDharia\My Documents\EAST\Workspaces\10622197 VIsual display system for displaying virtual images onto

IBM TDB

HSPAT:

US-PGPUB;

FPO: JPO; DERWENT; TBM TDB

OR

2006/02/06 07:53

OFF

virtual

and display

8042

S1

optically and transparent and visual

			the second and visual	US-	PGPUB;	OR		OF	F :	2005/01/26 11:15
2	0	opti	ically and transparent and visual	USP	PAT;				- 1	
-		and	display and system and		; JPO;				- 1	
1			arimnoces and virtual and image		RWENT;			l	- 1	
1		1 .	(/high or textual) and					1	1	
- 1		1	ation and field and VISION and	IRM	1_TDB			1	1	
- 1		1	and illumination and obucdi					1	- 1	
1		util	d components and introduce and	1				1	1	
- 1		and	tual and image and field and					1	1	1
1		vir	tual and image and field and	1		1		1	- 1	
1		vis	ion and minimally and	1		1		1	- 1	
- 1		ob	structing and attenuating and	1		1		1	- 1	
- 1		oti	her and objects and within and	1		1		1	1	
1			u and vicion and head-up dilu	1		1		1	- 1	1
		414	enlaws and HUD and for and	1		1		1	- 1	
- 1		1	tomotive and tracked and	1		1		1	- 1	
1		1	il mounted and vehicles and	1		1		1		
1		1 .	and aerospace and	1		1		١		1
- 1		m	oplications and see-through and	- 1		1		1		1
- 1		a	peech and prompt and displays	-		1		1		1
1		S	peech and prompt and displays nd see-through and projection and	١ ا		1		- 1		{
i i		a	nd see-through and projection and	1		1		1		1
1		d	isplays	- 1		1 ~	R	1.	OFF	2005/01/26 11:16
1		٠ ا -	ptically and transparent and visua		S-PGPUB;	10	K	- 1 '	511	2000,
S3 \	. '		1 display and system and		ISPAT;	1				1
		a	superimposes and virtual and imag	e l E	PO; JPO;			- 1		
		S	and (graphical or textual) and	10	ERWENT	;]		- 1		
	l	a	and (graphical or textual) and		BM_TDB					No. of the last
Laboratoria de la constantina della constantina	١	i	nformation and field and vision an					3		
	1	1	utilize and illumination and optical	.		1		- 1		
1	l	1 8	and components and introduce and	٠		1 :				
S 2		١.	with all and image and field and	- }						
	100		ululan and minimally and	- 10						And the Control of
1		- 1	-ttting and attenuating dilu-	- 1	1 -	-		1.	150 0	100
1	1	- 1	when and objects and within diff	- 1				1.		1.00
		- 1	Gold and vision and (head-up du)	- 1						1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m 1 m
i	1	- 1	displays or HLID) and for and			- 1				1 1 1
1	1		automotive and tracked and	1						
	1	- 1	rail-mounted and vehicles and			- 1				
	1	1	marine and aerospace and	- 1		1				5.0
1	1	- 1	marine and aerospace and	. 1		- 1				
	1	- 1	applications and see-through and			t				
1	1	1	speech and prompt and displays			- 1				
1		- 1	and see-through and projection a	inu					1	
		- 1	displays	1		- 1			OFF	2005/01/26 11:26
1		1	optically and transparent and vis	ual	US-PGPL	JB;	OR		UFF	2003/02/20 12:00
54	1	20	and display and system and	- 1	USPAT;	- 1			1	
			superimposes and virtual and im	age	EPO; JP	o;			į.	}
l	1		superimposes and virtual and in	ugo	DERWE					
i			and (graphical or textual) and		IBM_TD		1		1	
1	- 1		information		1				OFF	2005/01/26 11:2
1			optically and transparent and vis	sual	US-PGP		OR		UFF	2003/02/23 22:2
S5		1			USPAT;		1		1	
1	1		superimposes and virtual and im	nage	EPO; JP	0;	1		1	
1			superimposes and virtual and in	.agc	DERWE		1		1	
1			and (graphical or textual) and	224	IBM_TE		1		1	1
- 1			tracemation and field and VISION	and	TON-11		1		1	
1			will and illumination and option	cai	1		1		1	1
1			and components and introduce	anu	1		1		1	
- 1			virtual and image and field and		1		1		1	
1			vision		1					
							-			

		leugh band de	US-PGPUB;	OR	OFF	2005/01/26 11:27
6	1	optically and transparent and visual and display and system and superimposes and virtual and image and (graphical or textual) and information and field and vision and utilize and illumination and optical and components and virtual and image and field and vision	USPAT; EPO; JPO; DERWENT; IBM_TDB	-	عدد	2005/01/26 11:29
57	3	optically and transparent and visual and display and system and superimposes and virtual and image and (graphical or textual) and information and field and vision and illumination and optical and components and virtual and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/04/
S8	0	and field and vision	IBM_TDB		OFF	2005/01/26 11:29
S9	- 350	and display and transparent and visual and display and system and superimposes and virtual and information and field and vision ari illumination and optical and components and virtual and image and field and vision and automotive and tracked and rail-mounted and vehicles and marine and aerospace and applications and speech and prompt and displays and see-through and projection and displays	ge EPO; JPO DERWEN IBM_TDE	; T;	OFF	= 2005/01/26 11:30
S1	0	optically and transparent and vision and display and system and superimposes and virtual and information and field and vision illumination and optical and components and virtual and ima and field and vision and field and vision and flead-u displays or HIUD)	age EPO; JP DERWE IBM_TC	O; NT;	OFF	2003/03/20

11	65	and	ally and transparent and visual display and (head-up adj lays or HUD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/01/26 11:31
512	7	adi	cally adj transparent and visual display and (head-up adj plays or HUD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR		OFF	2005/01/26 11:31
S13	1	opt	ically adj transparent adj visual display	US-PGPUB; USPAT; EPO; JPO; DERWENT, IBM_TDB		L.	OFF	2005/01/26 11:41
S14	13	ор	tically adj transparent adj display	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB		R	OFF	. " -
S15	1	ı or ar	otically adj transparent adj display nd virtual and image	US-PGPUE USPAT; EPO; JPO DERWEN IBM_TDB	; F;	iR	OFF	2005/01/26 11:48
S16	45	0 o	ptically adj transparent and displa nd virtual and image	US-PGPU USPAT; EPO; JPC DERWEN IBM_TDE); T;	OR.	OFF	
S17		1	optically and transparent and visual and display and system and superimposes and virtual and image and (graphical or textual) and information		ο; vτ;	OR	OFF	
S18		0	optically and transparent and visus and display and system and superimposes and virtual and ima and (graphical or textual) and information and minimally and obstructing and attenuating and other and objects and within and field and vision and (head-up adj	ge EPO; JP DERWE IBM_TI	O; NT;	OR -	OFF	* * * * * * * * * * * * * * * * * * * *
S19) 1	662	displays or HUD) (head-up adj displays or HUD)	US-PGI USPAT EPO; J DERW IBM_T	; PO; ENT;	OR	OF	2005/01/26 11:50

20	65	(head-up adj displays or HUD) and optically and transparent and visual and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 11:50
521	5	(head-up adj displays or HUD) and optically and transparent and visual and display and system and superimposes and virtual and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 14:32
S22	2	(head-up adj displays or HUD) and optically and transparent and visual and display and system and superimposes and virtual and image and automotive	DERWENT IBM_TDB	;	OFF	3
S23	, × ×	(head-up adj displays or HUD) and optically and transparent and visual and display and system and superimposes and virtual and imag and tracked and rail-mounted and vehicles and marine		, ,	* .	
S24		(head-up adj displays or HUD) and tracked and rail-mounted and vehicles and marine	EPO; JPC DERWEN IBM_TDE); Т; 3	OFF	2005/01/26 12:01
S25		(head-up adj displays or HUD) and optically and transparent and visus and display and system and superimposes and virtual and imagent and speech and prompt	EPO; JPO DERWEI IBM_TD	O; NT; B	OFF	
S26		(head-up adj displays or HUD) ar optically and transparent and visi and display and system and superimposes and virtual and im and speech	EPO; JF DERWE IBM_TI	O; NT; OB	OF	- Care 42.02
S27		45 (head-up adj displays or HUD) a prompt	US-PGF USPAT EPO; J DERWI IBM_T	; PO; ENT;		
S2	8	11 (head-up adj displays or HUD) a prompt and speech		PUB; OR -; IPO; ENT;	OF	12.00
s	29	9 (head-up adj displays or HUD) prompt and speech and autom	EPO;	T; JPO; VENT;	0	FF 2005/01/26 12:03

530	5	(head-up adj displays or HUD) and prompt and speech and automotive and ghost and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:10
S31	17	(head-up adj displays or HUD) and automotive and ghost and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:33
532	4	(head-up adj displays or HUD) with ghost adj image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:22
S33	0	(head-up adj displays or HUD) and prompt adj speech	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 12:26
S34	5	(head-up adj displays or HUD) and optically and transparent and visual and display and system and superimposes and virtual and image	LFO, 31 0)		OFF	2005/01/26 12:26
S35		(head-up adj displays or HUD) and birefringent adj film	US-PGPUB; USPAT; EPO; JPO; DERWENT IBM_TDB		OFF	
S36	5	(head-up adj displays or HUD) and combiner and dielectric	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB		OFF	2005/01/26 15:04
S37		8 (head-up adj displays or HUD) and combiner adj dielectric	US-PGPUE USPAT; EPO; JPO DERWEN IBM_TDB	; r;	OFF	2005/01/26 15:05
S38		(head-up adj displays or HUD) an combiner adj dielectric and metal	d US-PGPU ic USPAT; EPO; JPC DERWEN IBM_TDE); π;	OFF	
S35		(head-up adj displays or HUD) ar combiner adj dielectric and meta	US-PGPL USPAT; EPO; JPC DERWEN IBM_TD	D; VT;	OFF	2005/01/26 15:05

10	2 (I	nead-up adj displays or HUD) and irefringent adj film and metal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:07
41	11	head-up adj displays or HUD) and birefringent adj film and metal\$6 and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 15:07
542	1	(head-up adj displays or HUD) and birefringent adj film and dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT IBM_TDB		OFF	2005/01/26 15:59
S43	- 2	"6,609,795".pn.	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB	;	OFF	2005/01/26 15:29
S44	0	"6,609,795".pn. and ghost	US-PGPUE USPAT; EPO; JPO DERWEN IBM_TDE	; T;	OFF	2005/01/26 15:29
S45	0	"5,576,886".pn. and ghost	US-PGPU USPAT; EPO; JPO DERWEN IBM_TDI); Π;	OFF	
S46	C	(head-up adj displays or HUD) ar automotive and no-ghost and image	US-PGPU USPAT; EPO; JP DERWE IBM_TD	O; NT;	OFF	15.70
S47	1	7 (head-up adj displays or HUD) a automotive and no and ghost ar image	us-PGP uspat; EPO; JF DERWE IBM_TI	PO; ENT;	OFF	
S48	3	(head-up adj displays or HUD) a automotive and no and ghost a image and birefrienge	us-PGI uspat EPO; J DERW IBM_T	; PO; ENT;	OF	
S45	9	2 (head-up adj displays or HUD) automotive and no and ghost a image and birefringent	and US-PG uspan EPO; DERW IBM_	T; JPO; /ENT;	OI	FF 2005/01/26 15:4

50	2	"20040135742"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 16:00
551	0	"20040135742" and relay and optics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 16:00
S52	0	"20020048058" and relay and optics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 16:25
S53	1	"5,576,886".pn. and relay and optics	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/26 16:02
S54	0	"5212,471".pn. and relay and optics	US-PGPUB, USPAT; EPO; JPO; DERWENT IBM_TDB		OFF	2005/01/26 16:04
S55		"5212,471".pn. and sunglasses	US-PGPUE USPAT; EPO; JPO; DERWENT IBM_TDB	r;	OFF	2005/01/26 16:04
S56		0 "20020069071" and projection and display		B; OR C; T;	OFF	2005/01/26 16:25
S57		0 "20020069071" and project\$6 and display	US-PGPU USPAT; EPO; JPC DERWEN IBM_TD	D; ιπ;	OFF	
S58	18301	23 display	US-PGPU USPAT; EPO; JP DERWE IBM_TD	JB; OR O; NT;	ON	
S59	4:	display and visual adj system	US-PGP USPAT; EPO; JF DERWE IBM_TI	PO; ENT;	ON	2005/06/13 09:3

560	584	disp sup	lay and visual adj system and erimpose\$6	EP DE	S-PGPUB; SPAT; O; JPO; ERWENT; M_TDB	OR		ON		2005/06/13 08:06
S61	69	sup	olay and visual adj system and virtual adj age	U: EI D	S-PGPUB; SPAT; PO; JPO; ERWENT; BM_TDB	OF		10	1	2005/06/13 08:06
S62	10	1	play and visual adj system and perimpose\$6 and virtual adj age and field adj vision	E	S-PGPUB; ISPAT; PO; JPO; DERWENT; BM_TDB	OI	R	0		2005/06/13 08:07
S63	1	St.	splay and visual adj system and iperimpose\$6 and virtual adj nage and field adj vision and ehicle	1	JS-PGPUB; JSPAT; EPO; JPO; DERWENT; IBM_TDB		iR		ON	2005/06/13 08:12
S64	53	V	isplay and superimpose\$6 and irtual adj image and field adj visio nd vehicle	n	US-PGPUB; USPAT; EPO; JPO; DERWENT IBM_TDB		OR		ON	2005/06/13 08:12
S65	3		display and superimpose\$6 and virtual adj image and field adj visio and vehicle and windshield	on	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB		OR		ON	2005/06/13 08:13
S66			display and superimpose\$6 and virtual adj image and field adj visi and vehicle and windshield and visual and system	on	US-PGPUE USPAT; EPO; JPO DERWEN IBM_TDB	; T;	OR		ON	2005/06/13 09:52
S67		9	display and superimpose\$6 and virtual adj image and field adj vis and vehicle and windshield and visual and system and transmissi		US-PGPU USPAT; EPO; JPC DERWEN IBM_TDI); Π;	OR		ON	2005/06/13 08:25
S68		4	display and superimpose\$6 and virtual adj image and field adj vir and vehicle and windshield and visual and system and transmiss and polarization		DERWEI	O; NT; B	OR		ON	2005/06/13 08:26
S69		3	display and superimpose\$6 and virtual adj image and field adj vi and vehicle and windshleld and visual and system and transmiss and polarization and combiner		Lr 0, 3	O; NT;			ON	2005/06/13 08.20

		display and superimpose\$6 and	US-PGPUB;	OR	ON	2005/06/13 08:29
70	1	virtual adj image and freid adj vision and vehicle and windshield and visual and system and transmission and polarization and combiner and rotate\$6	DERWENT; IBM_TDB	00	ON	2005/06/13 08:29
571	1	display and superimpose\$6 and virtual and image and field adj vision and vehicle and windshield and visual and system and transmission and polarization and combiner and rotate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	-	2005/06/13 08:29
S72	5	display and superimpose\$6 and virtual and image and field and vision and vehicle and windshield and visual and system and transmission and polarization and combiner and rotate\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	
S74	20	hor attended to the	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB		ON	2005/06/13 08:30
S75	11	display and superimpose\$6 and virtual adj image and field adj visi and vehicle and windshield and visual and system and transmit\$6 and polarize\$6	US-PGPUE USPAT; EPO; JPO	; Γ;	ON	2005/06/13 08:30
S76		display and superimpose\$6 and virtual adj image and field adj vis and vehicle and windshield and visual and system and transmit\$6 and polarize\$6 and rotate\$6	DERWEN IBM_TDE); T;	ON	2005/06/13 08:31
S77		4 display and superimpose\$6 and virtual adj image and field adj vis and vehicle and windshield and visual and system and transmit\$ and polarize\$6 and rotate\$6 and combiner	EPO; JPC	D; √Τ;	ON	
S78		display and visual adj system an combiner and positioned and between and occupant and windshield	d US-PGPI USPAT; EPO; JP DERWE IBM_TD	O; NT;	ON	2005/06/13 09:36
S79		display and visual adj system an combiner and positioned and between and viewer and winds	1 0017117	PO; ENT;	ON	2005/06/13 09:4

580	12		US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:42
581	12	display and combiner adj positioned and between and viewer and windshield and reflect\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR a	ON	2005/06/13 09:42
S82	8	display and combiner adj positioned and between and viewer and windshield and reflect\$6 and polariz\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	
S83	. 8	display and combiner adj positioned and between and viewer and windshield and reflect\$6 and polariz\$6 and virtual and image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	1,61	ON	2005/06/13 09:44
S84	C	and between and viewer and windshield and reflect\$6 and polariz\$6 and virtual and image and supperimpose\$6	IDIT_100	;	ON	2005/06/13 09:45
S85		display and combiner adj positioned and between and viewer and windshield and reflect\$6 and polariz\$6 and virtual and image	EPO; JPO DERWENT IBM_TDB	Ti (2005/06/13 09:52
S86	2	display and superimpose\$6 and virtual adj image and field adj visio and vehicle and windshield and visual and system and display and superimpose\$6 and virtual adj image and field adj vision and vehicle and windshield and visual and system	US-PGPUI USPAT; EPO; JPC DERWEN IBM_TDE); T;	ON	3
587		5 display and combiner adj positione and between and viewer and windshield and reflect\$6 and polariz\$6 and virtual and image ar display and superimpose\$6 and virtual adj image and field adj visi and vehicle and windshield and visual and system	EPO; JPO DERWER IBM_TD	O; VT; B	ON	2005/06/13 10:51
581	3	display and combiner adj position and between and viewer and windshield	US-PGP USPAT; EPO; JF DERWE IBM_TI	PO; NT;		

589	90	display and combiner adj positioned	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR C	ON	2005/06/13 10:51
590	0	display and combiner and dielectric and metalic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S91	258	display and combiner and dielectric and metallic	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:53
S92	137	display and (combiner and coat\$6 and dielectric and metallic and film)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 10:54
S93	1!	display and (combiner and coat\$6 WITH (dielectric and metallic and film))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/13 10:55
S94		display and (combiner and coat\$6 WITH (dielectric and metallic and film)) and windshield	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB		ON	2005/06/13 10:55
S95		2 "20040109251"	US-PGPUE USPAT; EPO; JPO; DERWENT IBM_TDB		ON	2005/06/13 15:05
S96		0 "20040109251" and dielectric	US-PGPUI USPAT; EPO; JPO DERWEN IBM_TDB	; T;	ON	2005/06/13 11:48
S9:	7	0 "20040109251" and metalic	US-PGPU USPAT; EPO; JPC DERWEN IBM_TDI	B; OR D; IT;	ON	2005/06/13 11:49
S9	18	2 "5,212,471".pn.	US-PGPU USPAT; EPO; JPI DERWEI IBM TD	O; NT;	ON	2005/06/13 12:4

599	0	"5,212,471".pn. and superimpose\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:47
S10 0	2	"5,212,471".pn. and virtual	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:47
S10 1	2	"5,212,471".pn. and virtual adj lmage\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:47
S10 2	0	"5,212,471".pn. and virtual adj image\$1 and field adj vision	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:48
S10 3	0	"5,212,471".pn. and virtual adj image\$1 and viewer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:49
S10 4	C	"5,212,471".pn. and virtual adj image\$1 and occupant	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 12:49
S10 5		"5,212,471".pn. and virtual adj image\$1 and visual adj display adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB		ON	2005/06/13 12:49
S10 6		0 "20040109251" and rotate\$6	US-PGPUB USPAT; EPO; JPO; DERWENT IBM_TDB	*	ON	2005/06/13 15:05
S10 7	1	display and superimpose\$6 and virtual adj image and field adj vision and vehicle and windshield and visual and system and rotate\$6	US-PGPUE USPAT; EPO; JPO; DERWENT IBM_TDB		ON	2005/06/13 15:22
S10 8		2 "5,576,886".pn.	US-PGPUE USPAT; EPO; JPO DERWEN' IBM_TDB	; T;	ON	2005/06/13 15:51

10	302	and	ally and transparent and visual display and view\$6 and biner and locat\$6)	USPA EPO;	T; JPO; VENT;	OR		OFF		6/02/06 07:54
511	189	and	cally and transparent and visual display and viewer and nbiner and locat\$6)	USPA EPO; DER	GPUB; AT; ; JPO; WENT; _TDB	OR		OFF		06/02/06 07:55
S11 1	0	and	ically and transparent and visual display and viewer and mbiner adj locat\$6)	USP. EPO DER	PGPUB; AT; ; JPO; RWENT; I_TDB	OR		OFF		006/02/06 08:03
S11 2	6	1 00	tically and transparent and visual d display and viewer and ombiner adj position\$6)	USF EPC DEI	PGPUB; PAT; D; JPO; RWENT; 4_TDB	OR		OFF	*	
S11 3		2 "6	₁ 144424".pn.	US EP DE	-PGPUB; PAT; O; JPO; RWENT M_TDB			ON		2006/02/06 07:59
S11 4		1 "(5144424",pn. and (combiner adj osition\$6)	US EF DI	S-PGPUB SPAT; PO; JPO; ERWENT BM_TDB		2	ON		2006/02/06 08:00
S11 5	1	1	6144424".pn. and (combiner and position\$6)	E	S-PGPUE SPAT; PO; JPO ERWEN BM_TDB	; T;	ıR	ON		
S1:	1		optically and transparent and vist and display and (combiner and position\$6 and between and viev and windshield)	rer E	JS-PGPU JSPAT; EPO; JPC DERWEN IBM_TDI); Π;)R	OF	F -	2006/02/06 08:59
S1 7	11	5	optically and transparent and vis and display and (combiner adj position\$6 and between and view and windshield)	wer	US-PGPL USPAT; EPO; JP DERWEI IBM_TD	O; NT;	OR	OF		2006/02/06 09:03
5 8	11	5	5 optically and transparent and vis and display and (combiner adj position\$6 and between and view and windshield) and combiner		ual US-PGF USPAT		OR	0	FF	2006/02/06 11:26

S11 9	2	"20040109251"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM TDB	OR	ON	2006/02/06 09:11
S12 0	1	"20040109251" and (combiner adj position\$6 and between and viewer and windshield) and combiner	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/02/06 09:11